


DS-KAD612 Video/Audio Distributor

Key Features

- Built-in 24 VDC voltage-stabilized switching mode power supply
- Sixteen RJ-45 interfaces, including twelve adaptive 10/100 Mbps LAN interfaces supporting network cable powering and four adaptive 10/100 Mbps cascading LAN interfaces
- IEEE802.3, IEEE802.3u, IEEE802.3x
- · Storing and forwarding function
- VLAN technique
- Over 1000,000 h mean time between failure
- (Optional) Suitable for wall mounting

Typical Application





www.hikvision.com



Specifications


Model		DS-KAD612
Network parameters	Interface number	Sixteen 10/100 Mbps Interfaces
	Interface type	RJ-45, Full/Half-Duplex, MDI/MDI-X Self-Adaptive
	Standard	IEEE802.3, IEEE802.3u, IEEE802.3x
	Processing type	Storing and Forwarding
	Flow control	IEEE802.3x (Full-Duplex), Back Pressure (Half-Duplex)
	Priority queue	Four
	MAC address list	8K
	Internal buffer	1 Mbit
General	Power supply	220 VAC
	Power consumption	<6 W
	Working temperature	-30° C to 70° C (-22° F to 158° F)
	Working humidity	5% to 95%, No Condensation
	Dimensions (L × W × H)	268.6 mm × 118.4 mm × 102.2 mm (10.6" × 4.7" × 4.0")
	Certification	FCC, IC, CE, C-TICK, ROHS, REACH, WEEE



Available Model

DS-KAD612

Physical Interfaces



Index	Description	
1	16 RJ-45 Interfaces	
2	Power Indicator	
3	220 VAC, Power Socket	

Distributed by

Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 overseasbusiness@hikvision.com

Hikvision USA T +1-909-895-0400 sales.usa@hikvision.com

Hikvision Italy T +39-0438-6902 info.it@hikvision.com

Hikvision Singapore T +65-6684-4718 sg@hikvision.com Hikvision Europe T +31-23-5542770 saleseuro@hikvision.com

Hikvision France T +33(0)1-85-330-444 info.fr@hikvision.com

Hikvision Oceania T +61-2-8599-4233 salesau@hikvision.com Hikvision Middle East T +971-4-8816086 salesme@hikvision.com

Hikvision Spain T +34-91-737-16-55 info.es@hikvision.com

Hikvision Hong Kong T +852-2151-1761 Hikvision Russia T +7-495-669-67-99 saleru@hikvision.com

Hikvision Poland T +48-22-460-01-50 poland@hikvision.com

Hikvision Canada T +1-909-895-0400 sales.usa@hikvision.com Hikvision India T+91-22-28469900 sales@pramahikvision.com

Hikvision UK T +44-1628-9021-4 support.uk@hikvision.com